VIENNA AIR PAN W/ AIR TOWER REMOTE

PROJECT:	
ITEM:	QUANTITY:

MODEL # VIAP -RR-AT

SPECIFICATIONS

The Vienna Series VIAP-RR-AT is a drop-in air pan with an air tower, which provides higher air coverage for taller product. Unit is designed with a special baffle and air plenum which directs more air flow throughout the product zone, allowing for use with bowls and platters. Front of unit has lower profile for easier reachability. Evaporator features a lift-up mechanism that allows the inner pan to be easily rinsed clean. Unit is designed to accommodate standard hotel or food service pans (provided by others).

Available lengths:	□ 31"	43 3/4 "	☐ 56 1/2" ☐ 69 3/8"	
Available depths:	□ 27 7	/8"		
Available heights:	□ 21"			



Unit shown with optional LED stick lighting

STANDARD FEATURES

■ Remote Refrigeration

- 304 Stainless Steel Exterior
- Adjustable Deck Pan to Convert to Slanted Display
- Easy Removable Deck Pans for Cleaning
- Programmable Digital Refrigeration Controller
- Insulated Air Dam Glass Sides
- Front Stainless Price Tag Holder
- Forced Air Cooling System
- Lift-Up Evaporator
- Air plenum and baffle for use with plates/platters/bowls
- ETL Listed in Accordance with UL 471 and NSF 7 Standards
- Environmentally Safe Refrigerant
- Floor Drain Required

OPTIONAL FEATURES

- □ Self-Contained Refrigeration
- ☐ Integrations Modular Counter (Consult Factory)
- ☐ Sneeze Guards (Consult Factory)
- ☐ Adapter Bars for Standard Pans (Pans Not Included)
- ☐ For use with crushed ice (consult factory)
- ☐ Condensate Evaporator Pan (Consult Factory)





DOE 2017 negy Efficiency Compliant Conforms to UL Standard 471, and NSF Standard 7; Certified To CSA Standard C22.2 No.120

MODEL	L	D	н	PANS	BTU	VOLT	AMP	PLUG	WT	REFRIG.	CUT-OUT SIZE
VIAP2-0-R-RR AT	31	27 7/8	21	2	1263	115	0.4	5-15P	277	R448A	28 7/8 x 26 3/8
VIAP3-0-R-RR AT	43 3/4	27 7/8	21	3	1638	115	0.4	5-15P	343	R448A	41 3/4 x 26 3/8
VIAP4-0-R-RR AT	56 1/2	27 7/8	21	4	2048	115	0.4	5-15P	409	R448A	54 1/2 x 26 3/8
VIAP5-0-R-RR AT	69 3/8	27 7/8	21	5	2390	115	0.4	5-15P	521	R448A	67 1/4 x 26 3/8

- 1. A 1 1/8" diameter drain is provided. The drain MUST be run to a floor drain AT TIME OF INSTALLATION.
- 2. For self-contained units, ventilation louvers MUST be provided in the cabinet or counter and located so to provide full ventilation for the condensing unit. Refrigeration System is designed so air will flow rear to front. Unobstructed air flow must be maintained to ensure unit performance and maintain warranty.
- 3. RPI Merchandiser is designed for use in stores where ambient temperatures and humidity do not exceed 75 Degrees Fahrenheit and 55% R.H. Locate away from direct sunlight, rapid air currents and extreme temperature changes. Exposure to air currents from ceiling fans, air conditioning diffusers, ovens, etc. will disrupt the case air curtain and refrigerated zone. Refrigerated Displays are designed to maintain pre-chilled products. Adding or loading warm products above 41 Degrees Fahrenheit can affect the temperature in the entire cabinet. Any adverse field conditions stated above will void warranty.

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330) FAX: 609-714-2331 www.rpiindustries.com 220 ROUTE 70, MEDFORD, NJ 08055




VIENNA AIR PAN W/ AIR TOWER REMOTE

PROJECT:

TOLL FREE: 800-525-3692

MODEL # VIAP-RR-AT


(Operator side view)




VIAP2-0-R-RR-AT

VIAP3-0-R-RR-AT

VIAP4-0-R-RR-AT



VIAP5-0-R-RR-AT



(Side elevation)

Base des adjustable in height

211/8

11 26 78 78

VIAP2 - VIAP3 - VIAP4 - VIAP5