



About the Product

Convene around this amazing work of art.

A multifunctional table allows you to either conduct goal-setting seminars with clients, hold conference meetings or place an exquisite flower arrangement welcoming any guests in your hotel lobby. The possibilities are quite endless!

Unit is designed for warming, not cooking.

Features

- 6 top colors
- 2 sizes available
- · Hot or cold

- Variable Ice Rock sizes
- Variable induction quantities with 20 power levels

Model

HI stone top with 3" angled apron edge, areas for plates/utensils, single induction area with induc mate, remote control panel with off/on, display and 20 power levels, closed millwork pedestal base, hinged access panels to controls, Formica or Wilson Art standard laminate exterior, 115V/60/1, 6 amps, 15 amp dedicated circuit required, 8' cord with NEMA 5-15P.



Contact Us

Gary Hamilton gdhamilton@rpiindustries.com 609.714.2330 x 113





Options - 72"

Base

72" W x 30" W x 34"H

• Option: Add 1 induction unit

Deluxe

HI stone top with 3" angled apron edge, area for plates/utensils on each end, 24" centered Ice Rock area, closed millwork pedestal bases, hinged access panels with off/on switch, Formica or Wilson Art standard laminate exterior, self-contained refrigeration, 8' cord, NEMA 5-15P.

72" W x 30" W x 34"H

Option: 36" Ice RockOption: 48" Ice Rock

Compressor Warranty \$

Please note when Ice Rock defrosts, water will accumulate on top surface.

End caps available in 5 powder coat finishes HI Stone available in 6 colors.

Options - 96"

Base

96" W x 30" W x 34"H

- Option: Add 1 induction unit
 Option: Add 2 induction unit
- Option: Add 2 induction units (Additional 15 amp dedicated circuit required)
- Option: Add 3 induction units (Additional 15 amp dedicated circuit required)

Deluxe

HI stone top with 3" angled apron edge, areas for plates/utensils, 24" centered Ice Rock area, closed millwork pedestal bases, hinged access panels with off/on switch, Formica or Wilson Art standard laminate exterior, self-contained refrigeration, 8' cord with NEMA 5-15P.

96" W x 30" W x 34"H

- Option: 36" Ice Rock
- Option: 48" Ice Rock
- Option: 60" Ice Rock
- Option: 72" Ice Rock

Compressor Warranty \$

Please note when Ice Rock defrosts, water will accumulate on top surface.

MODEL # CONVENE H 72

SPECIFICATIONS

HI stone top with 3" integrated angled apron edge, area's for plate's / utensils on top, single induction area with induc mate, remote control panel with off/on, display and 20 power levels, closed millwork pedestal base, hinged access panels to controls, Formica or Wilson Art standard laminate matte finish exterior, 115V/60/1, 6 amps, 15 amp dedicated circuit required, 8' cords with NEMA 5-15P.

Available lengths:	□ 72 <i>"</i>
r wanabio iorigino.	
Available depths:	30"
Available deptilis.	
Available beighter	□ 24"
Available heights:	□ 34



STANDARD FEATURES

- Hi stone top with 3" integrated angled apron edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area for plates / utensils on top
- Single induction area with induc mate centered
- Concealed control panel 20 power levels with display
- Closed millwork pedestal bases with storage
- Adjustable shelf
- Hinge access panel to control panel and storage
- Adjustable levelers
- 115v / 60 / 1, 6 amps, 15 amps dedicated circuit required
- Ventilation slots
- Satin chrome knob-pulls

OPTIONAL FEATURES

- ☐ Add (1) induction unit 6 amps
- ☐ Add (2) induction units 6 amps each (additional dedicated 15 amp curcuit required.)
- ☐ Lock per door
- □ Premium Laminate

(Must specify brand name, number and color, contact factory for price.)

Note: Contact factory if 6-20 outlet(s) are available when ordering additional induction units.

Some options may impact electrical requirements.

Note: Units designed for warming not cooking

Note: Induction pans should have lids or covers SR-1 10 10 10 maintain proper food temperature.

SR-1 72*

PL-1 PL-1 PL-1 19*

Electrical Locations

STANDARD

STANDARD

STANDARD

1 1 2 8

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com 220 ROUTE 70, MEDFORD, NJ 08055



GATHER TABLES

PROJECT:______ QUANTITY: _____

MODEL # CONVENE H 96

SPECIFICATIONS

HI stone top with 3" integrated angled apron edge, area's for plate's / utensils on top, single induction area with induc mate, remote control panel with off/on, display and 20 power levels, closed millwork pedestal base, hinged access panels to controls, Formica or Wilson Art standard laminate matte finish exterior, 115V/60/1, 6 amps, 15 amp dedicated circuit required, 8' cords with NEMA 5-15P.

Available lengths:	96"
Available depths:	□ 30"
Available heights:	□ 34"



STANDARD FEATURES

- Hi stone top with 3" integrated angled apron edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area for plates / utensils on top
- Single induction area with induc mate
- Remote control panel 20 power levels with display
- Closed millwork pedestal bases with storage
- Adjustable shelf
- Hinge access panel to control panel and storage
- Adjustable levelers
- 115v / 60 / 1, 6 amps, 15 amps dedicated circuit required
- Ventilation slots
- Satin chrome knob-pull

((T)) ((T)) NSF-2

OPTIONAL FEATURES

- □ Add (1) induction unit 6 amps
- ☐ Add (2) induction units 6 amps each (additional 15 amps dedicated circuit required)
- ☐ Add (3) induction units 6 amps each (additional 15 amps dedicated circuit required)
- □ Lock per door
- ☐ Premium laminate
 (Must specify brand name, number and color, contact for price.)

Note: Contact factory if 6-20 outlet is available when ordering additional induction units.

Some options map impact electrical requirements.

Note: Units designed for warming not cooking

Note: Induction pans should have lids or covers to maintain proper food temperature.

SIL-1

PL-1

FIL-1

FIL-1

STANDARD

STANDARD

STANDARD

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com 220 ROUTE 70, MEDFORD, NJ 08055



MODEL # CONVENE IC 72

SPECIFICATIONS

HI stone top with 3" integrated angled apron edge, area for plate's / utensil's area on top, 24" centered Ice Rock area, closed millwork pedestal bases, hinged access panels with off/on switch, Formica or Wilson Art standard laminate matte finish exterior, self-contained refrigeration, 8' cord, NEMA 5-15P.



STANDARD FEATURES

- Self-Contained Refrigeration
- Hi stone top with 3" integrated angled apron edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area for plates / utensils on top
- 24" x 18" centered ice rock
- Closed millwork pedestal bases
- Storage and adjustable shelf in one pedestal
- Hinged access panel to condensing unit and storage
- Adjustable levelers
- 115v / 60 / 1, 5.9 amps
- 8' cord and NEMA 5-15P plug dedicated circuit required
- Ventilation slots
- Satin chrome knob-pulls
- 5 year compressor warranty


Note: When ice rock is turned off water will accumulate on top surface.

OPTIONAL FEATURES


- ☐ 36" x 18" ice rock in lieu of 24" 5.9 amps
- ☐ 48" x 18" ice rock in lieu of 24" 7.6 amps
- □ Lock per door
- □ Premium laminate

(Must supply brand name number and color contact factory for price.)

Some options may impact electrical requirements.



Electrical Locations | Compared to the content of the content of



PL-1

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com 220 ROUTE 70, MEDFORD, NJ 08055



MODEL # CONVENE IC 96

SPECIFICATIONS

HI stone top with 3" integrated angled apron edge, areas for plate's / utensil's on top, 24" centered Ice Rock area, closed millwork pedestal bases, hinged access panels with off/on switch, Formica or Wilson Art standard laminate matte finish exterior, self-contained refrigeration, 8' cord with NEMA 5-15P.

Available lengths:	□ 96"
Available depths:	□ 30"
Available heights:	□ 34"



STANDARD FEATURES

- Self-Contained Refrigeration
- Hi stone top with 3" integrated angled apron edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area for plates / utensils on top
- 24" x 18" centered ice rock
- Closed millwork pedestal bases
- Storage & adjustable shelf in one pedestal
- Hinged access panel to condensing unit and storage
- Adjustable levelers
- 115v / 60 / 1, 5.9 amps
- 8' cord and NEMA 5-15P plug dedicated curcuit required
- Ventilation slots


Note: When ice rock is turned off water will accumulate on top surface.

OPTIONAL FEATURES

- ☐ 36" x 18" ice rock in lieu of 24" 5.9 amps
- ☐ 48" x 18"ice rock in lieu of 24" 7.6 amps
- ☐ 60" x 18" ice rock in lieu of 24" 7.6 amps
- ☐ 72" x 18" ice rock in lieu of 24" 10.4 amps
- ☐ Lock per door
- □ Premium laminate

(Must specify brand name, number and color, contact factory for price.)

Some options may impact electrical requirements



RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)