



About the Product

Welcome clients, guests, and delegates with this showpiece. Create a statement just by its mere presence. Together you can create wonders, this is perfect for conference and meeting rooms, restaurants, and lounges.

Unit is designed for warming, not cooking.

Features

- 6 top colors
- 5 optional powder coat colors
- Available hot or cold
- Optional 3" casters to make unit portable
- 2 sizes available
- Recessed controls
- 20 power settings
- Variable amount of induction units
- Variable Ice Rock sizes

Model

HI stone top with laminated drop edge, area for plates/utensils, single induction area with induc mate, recessed remote control panel with off/on, display and 20 power levels, closed millwork base, Formica or Wilson Art standard laminate exterior, 115V/60/1, 6 amps, dedicated 15 amp circuit required, 8' cord, NEMA 5-15P.



Contact Us

Gary Hamilton
gdhamilton@rpiindustries.com
609.714.2330 x 113



Options - 72"

Base

72" W x 30" W x 34"H

- Option: Add 1 induction unit

Deluxe

HI stone top with laminated drop edge, area for plates/utensils, 24" centered Ice Rock area, closed millwork base, Formica or Wilson Art standard laminate exterior, stainless wedge ventilated end caps, recessed off/on switch on (1) end, end caps removable for service, self-contained refrigeration, 8' cord, NEMA 5-15P.

72" W x 30" W x 34"H

- Option: 36" Ice Rock
- Option: 48" Ice Rock

Compressor Warranty \$

Please note when Ice Rock defrosts, water will accumulate on top surface.

End caps available in 5 powder coat finishes
HI Stone available in 6 colors.

Options - 96"

Base

96" W x 30" W x 34"H

- Option: Add 1 induction unit
- Option: Add 2 induction units
(Additional 15 amp dedicated circuit required)
- Option: Add 3 induction units
(Additional 15 amp dedicated circuit required)

Deluxe

HI stone top with laminated drop edge, area for plates/utensils, 24" centered Ice Rock area, closed millwork base, Formica or Wilson Art standard laminate exterior, stainless wedge ventilated end caps, recessed off/on switch on (1) end, end caps removable for service, self-contained refrigeration, 8' cord, NEMA 5-15P.

96" W x 30" W x 34"H

- Option: 36" Ice Rock
- Option: 48" Ice Rock
- Option: 60" Ice Rock
- Option: 72" Ice Rock

Compressor Warranty \$

Please note when Ice Rock defrosts, water will accumulate on top surface.

MODEL # TOGETHER H 72

SPECIFICATIONS

Hi stone top with 1½ integrated drop edge, area for plate's / utensil's, single induction area with induc mate centered, closed millwork base, Formica or Wilson Art standard laminate matte finish exterior, stainless wedge ventilated end panels, recessed off/on switch on (1) end, end panel removable for service, 8' cord, NEMA 5-15P.

Available lengths: ☐ 72"

Available depths: ☐ 30"

Available heights: ☐ 34"



STANDARD FEATURES

- Hi stone top with 1½ integrated drop edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area on top for plates and utensils
- (1) Induction unit centered with induc mate
- Recessed control panel
- 20 power levels with display
- Closed millwork base
- Stainless wedge end ventilation panels
- End panel removable for electric and service
- 115v / 60 / 1, 6 amps, dedicated 15 amp circuit required
- 8' cord and NEMA 5-15P plug
- Adjustable levelers


Note: Units designed for warming not cooking.

Note: Induction pans should have lids or covers to maintain proper food temperature.

OPTIONAL FEATURES

- ☐ 3" casters
 - ☐ Add (1) induction unit 6 amps
 - ☐ Add (2) induction units 6amps each (Additional 15 amp dedicated circuit required)
 - ☐ End panels powder coat finishes:
 - ☐ RAL 5019 Carpri Blue
 - ☐ RAL 3020 Traffic Red
 - ☐ RAL 9010 Pure White
 - ☐ RAL 9005 Jet Black
 - ☐ RAL 6032 Signal Green
 - ☐ Premium laminate
- Must specify brand name, number, and color, contact factory for price.)
- Some options may impact electrical requirements

Note: Contact factory if 6-20 outlet is available when ordering additional induction units.



NSF-2

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com

220 ROUTE 70, MEDFORD, NJ 08055



RPI INDUSTRIES, INC.

v3_15_23

MODEL # TOGETHER H 96


SPECIFICATIONS

Hi stone top with 1½ integrated drop edge, area for plate's / utensil's, single induction area with induction mate, closed millwork base, Formica or Wilson Art standard laminate matte finish exterior, stainless wedge ventilated end panel, recessed off/on switch on (1) end, end panel removable for service, 8' cord, NEMA 5-15P.

Available lengths: ☐ 96"

Available depths: ☐ 30"

Available heights: ☐ 34"



STANDARD FEATURES

- Hi stone top with 1½ integrated drop edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area on top for plates and utensils
- (1) Induction unit with induc mate
- Recessed control panel
- 20 power levels with display
- Closed millwork base
- Stainless wedge end ventilation panels
- End panel removable for electric and service
- 115v / 60 / 1, 6 amps, dedicated 15 amp circuit required
- 8' cord and NEMA 5-15P plug
- Adjustable levelers

Note: Units designed for warming not cooking.


Note: Induction pans should have lids or covers to maintain proper food temperature.

OPTIONAL FEATURES

- ☐ 3" casters
- ☐ Add (1) induction unit 6 amps
- ☐ Add (2) induction units 6 amps each (additional 15 amp dedicated circuit required)
- ☐ Add (3) induction units 6 amps each (additional 15 amp dedicated circuit required)
- ☐ End panel powder coat finishes:
 - ☐ RAL 5019 Carpri Blue
 - ☐ RAL 3020 Traffic Red
 - ☐ RAL 9010 Pure White
 - ☐ RAL 9005 Jet Black
 - ☐ RAL 6032 Signal Green
- ☐ Premium laminate (Must specify brand name, number, and color, contact factory for price.)

Some options may impact electrical requirements

Note: Contact factory if 6-20 outlet is available when ordering additional induction units.



NSF-2

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com

220 ROUTE 70, MEDFORD, NJ 08055



RPI INDUSTRIES, INC. v3_15_23

MODEL # TOGETHER IC 72

SPECIFICATIONS

Hi stone top with 1½" integrated drop edge, area for plate's / utensil's, 24" centered Ice Rock area, closed millwork base, Formica or Wilson Art standard laminate matte finish exterior, stainless wedge ventilated end panel, recessed off/on switch on (1) end, end panels removable for service, self-contained refrigeration, 8' cord, NEMA 5-15P.

Available lengths: ☐ 72"

Available depths: ☐ 30"

Available heights: ☐ 34"



STANDARD FEATURES



- Self-Contained Refrigeration
- Hi stone top with 1½" integrated drop edge
- Hi stone (available in 6 colors)
- Standard plastic laminate matte finish exterior
- Area on top for plates and utensils
- 24" x 18" centered ice rock
- Closed millwork base
- Stainless wedge end ventilation panels
- End panel removable for electric and service
- 115v / 60 / 1, 5.9 amps, 8' cord and NEMA 5-15P plug
- Adjustable levelers
- 15 amp dedicated circuit required
- 5 yr compressor warranty

OPTIONAL FEATURES



- ☐ 3" casters
- ☐ 36" x 18" ice rock in lieu of 24" 5.9 amps
- ☐ 48" x 18" ice rock in lieu of 24" 7.6 amps
- ☐ End panel powder coat finishes:
 - ☐ RAL 5019 Carpri Blue
 - ☐ RAL 3020 Traffic Red
 - ☐ RAL 9010 Pure White
 - ☐ RAL 9005 Jet Black
 - ☐ RAL 6032 Signal Green
- ☐ Premium laminate
 (Must specify brand name, number and color, contact factory for price.)

Some options may impact electrical requirements.

Note: When ice rock is turned off water will accumulate on top surface.



Electrical Locations



NSF-2

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com

220 ROUTE 70, MEDFORD, NJ 08055



RPI INDUSTRIES, INC.

v3_15_23

MODEL # TOGETHER IC 96


SPECIFICATIONS

Hi stone top with 1½ integrated drop edge, area for plate's / utensil's, 24" centered Ice Rock area, closed millwork base, Formica or Wilson Art standard laminate matte finish exterior, stainless wedge ventilated end panels, recessed off/on switch on (1) end, end panels removable for service, self-contained refrigeration, 8' cord, NEMA 5-15P.

Available lengths: ☐ 96"

Available depths: ☐ 30"

Available heights: ☐ 34"



STANDARD FEATURES



- Self-Contained Refrigeration
- Hi stone top with 1½ integrated drop edge
- Hi stone (available in 6 colors)
- Area on top for plates and utensils
- Standard plastic laminate matte finish exterior
- 24" x 18" centered ice rock
- Closed millwork base
- Stainless wedge end ventilation panel
- End panel removable for electric and service
- 115v / 60 / 1, 5.9 amps, 8' cord and NEMA 5-15P plug
- Adjustable levelers
- 15 amp dedicated circuit required
- 5 yr compressor warranty

OPTIONAL FEATURES



- ☐ 3" casters
- ☐ 36" x 18" ice rock in lieu of 24" 5.9 amps
- ☐ 48" x 18" ice rock in lieu of 24" 7.6 amps
- ☐ 60" x 18" ice rock in lieu of 24" 7.6 amps
- ☐ 72" x 18" ice rock in lieu of 24" 10.4 amps
- ☐ End panel powder coat finishes:
 - ☐ RAL 5019 Carpri Blue
 - ☐ RAL 3020 Traffic Red
 - ☐ RAL 9010 Pure White
 - ☐ RAL 9005 Jet Black
 - ☐ RAL 6032 Signal Green
- ☐ Premium laminate
 (Must specify brand name, number and color, contact factory for price.)

Note: When ice rock is turned off water will accumulate on top surface.

Some options may impact electrical requirements.



Electrical Locations



NSF-2

RPI in line with its policy to continually improve its products reserves the right to change materials and specifications without notice.

CALL TOLL FREE: 800-525-3692 (609-714-2330)

FAX: 609-714-2331 www.rpiindustries.com

220 ROUTE 70, MEDFORD, NJ 08055



RPI INDUSTRIES, INC. v3_15_23